RECEIVED CENTRAL FAX CENTER

OCT 1 6 2006

LISTING OF CLAIMS

- 1. (currently amended) A method for balancing load among a plurality of mirror servers, wherein a user may select and get access to any one of said plurality of mirror servers within an identical web page, said method comprising the steps of:
- (1) when said web page is accessed by a client <u>in</u> response to user input to establish a session to browse said web page, receiving transmitting not only said web page and but also a predetermined script at to said client;
- (2) automatically executing said script at said client so as to respectively create connections with each of said plurality of mirror servers and measure respective response times; and
- (3) selecting a mirror server having the shortest response time for the user to access <u>said</u> web page during the session.

2. (canceled)

3. (original) The method according to claim 1, wherein said automatically executing said script comprises steps of:

calling a predetermined engine by said client; and

p.5

executing said script by said engine, comprising creating connections with each of said plurality of mirror servers and measuring respective response times.

ANNE V.DOUGHERTY

- 4. (original) The method according to claim 1, wherein said executing said script is performed in a multi-thread manner for said plurality of mirror servers.
- 5. (original) The method according to claim 1, further comprising sending the client information to the mirror servers being connected.
- 6. (original) The method according to claim 5, wherein said client information includes at least one of IP address, domain name, platform name, platform version, and browser type of said client.
- 7. (original) The method according claim 1, wherein said connections are created through proxies.
- 8. (original) The method according to claim 1, wherein said script can be re-started by said user.
- 9. (original) The method according to claim 1, further comprising comparing respective response times of said plurality of mirror servers.
- 10. (previously presented) The method according to claim 9, further comprising the steps of:

notifying said user of the mirror server having the shortest response time;

receiving user input selecting one of said mirror servers as the selected mirror server; and

establishing access for the user to the selected mirror server.

- 11. (currently amended) An apparatus for balancing load among a plurality of mirror servers said apparatus being installed in a client machine and comprising:
- a client communications device for accessing a web site in response to user input to browse said web page and for receiving the web page and a predetermined script;
- a script analyzer, for analyzing a predetermined script received by a client in response to said client accessing a web page;
- a script executor, for respectively creating connections with each of said plurality of mirror servers and measuring respective response times based on analyzed result from said script analyzer; and
- a selector, for selecting the mirror server having the shortest response time for a user of said client machine to access.

- 12. (original) The apparatus according to claim 11, wherein said predetermined script is transmitted together with a web page to said client.
- 13. (original) The apparatus according to claim 11, wherein said script executor operates in a multi-thread manner for said plurality of mirror servers.
- 14. (original) The apparatus according to claim 11, wherein said script executor is additionally adapted to send the client information to the mirror servers being connected.
- 15. (original) The apparatus according to claim 14, wherein said client information includes at least one of IP address, domain name, platform name, platform version, and browser type of said client.
- 16. (original) The apparatus according claim 11, wherein said script executor makes connections with mirror servers through the proxies.
- 17. (original) The apparatus according to claim 11, wherein said script executor can be re-started by said user so as to execute said script.
- 18. (original) The apparatus according to claim 11, wherein said selector comprises a comparator for comparing respective response times of said plurality of mirror servers.

19. (original) The apparatus according to claim 18, wherein said selector further comprises:

means for notifying said user of the mirror server having the shortest response time; and

means for receiving selection made by a user on the mirror servers.

- 20. (previously presented) A program storage device readable by machine tangibly embodying a program instructions executable by the machine to perform a method for balancing load among a plurality of mirror servers, wherein a user may select and get access to any one of said plurality of mirror servers within an identical web page, said method comprising the steps of:
- (1) when said web page is accessed by a client_in response to user input to browse said web page, receiving not only said web page and but also a predetermined script at said client:
- (2) automatically executing said script at said client so as to respectively create connections with each of said plurality of mirror servers and measure respective response times; and
- (3) selecting a mirror server having the shortest response time for the user to browse said web page access.

JP919990263-US1